(GCN)

e-Reader Cards & Dot Code Documentation
## Obtaining Super Mario Bros and Legend of Zelda NES Games via e-Reader Dot Codes

by Hunter Rafferty

History

In the original Animal Crossing for the GameCube there are special furniture items that feature fully functional NES games that you can play in your house. Most of these items are obtainable through normal means in the game, such as buying them from Nook's or finding them in a villager's buried treasure game. However, there are four specific NES items that are not obtainable through normal means. Dubbed "the forbidden four," these games are Ice Climber, Mario Bros., Super Mario Bros, and The Legend of Zelda. These items do not appear in any shop, raffle, or event in the game and are specifically whitelisted from being obtained via Tom Nook's secret codes. Even though we can theoretically generate secret codes to obtain these items, entering the codes does not work due to this whitelist. On May 12th, 2003, Nintendo released Series 4 of the e-Reader card packs and made two of these games obtainable by scanning two specific cards at the Post Office via the e-Reader peripheral and a linked Gameboy Advance. These cards were N01 Ice Climber and N02 Mario Bros. and are the only ways possible to obtain these items legitimately in-game.

N01 Ice Climber and N02 Mario Bros. e-Reader cards

Since Nintendo released these two cards, it was thought they would release the other cards to unlock Super Mario Bros and The Legend of Zelda. However, due to the commercial failure of the e-Reader in North America, these cards were never printed. Due to this, it's long been theorized that a certain e-Reader dot code must possibly exist to scan in-game and finally get these items, even if Nintendo never printed them. Many have tried to replicate the Mario Bros. and Ice Climber cards, but to my knowledge, this has never been achieved on console. That is, until now. Over 20 years later and after some painstaking reverse-engineering, I have created a working e-Reader dot code card that can be printed and scanned in-game to give you both items legitimately for the first time. **This can be done on a vanilla console with no hacks and no action replay** for the very first time – simply print the card using a printer and scan using a North American e-Reader.

Explanation

This is possible by taking the existing Animal Crossing e-Reader cards, extracting their dot code data, and modifying certain flags to create a new dot code with new data. More specifically, I decompiled existing e-Reader card data as a base, made modifications to the data, and recompiled it replicating Nintendo's (more specifically HAL's) compression methods to make a new working card. This took quite a bit of research and time to accomplish, especially since e-Reader documentation and development is extremely dated. That said, I hope to detail and document my process further for any future developers interested in toying with the e-Reader or dot codes.

Technical Details

All e-Reader cards start as `.raw` files that can then be converted into `.bin` files for viewing in a hex editor. As a `.bin` file, the Animal Crossing cards that can be scanned in the Post Office are split into three chunks – one containing header data, one containing `.vpk` data for the Gameboy Advance, one one containing `.vpk` data for the GameCube.

The header data contains general information and checksums, including the dot code size, the size of the GBA VPK data, etc. Below is a graphic detailing the header data in a hex editor.

Header data for the Mario Bros. Series 4 e-Reader Card

When modifying e-Reader cards, this header is crucial to keep consistent. If the strip size, region, general size, VPK size, or any of the checksums are incorrect then the card will give a 'READ ERROR'. We will revisit this when going over how I actually modified the cards.

The next chunk in these cards contains VPK data specifically for the Gameboy Advance; that is, this data gets read by the GBA when you simply scan the card in the e-Reader BIOS (*not* in the Animal Crossing e-Reader application you download from the GameCube). Most Animal Crossing e-Reader cards have this data to include a letter that shows up on the GBA when scanned, accompanied by a special background and character music.

GBA eReader letter from Ice Climber Series 4 card

This data is not actually important when modifying the cards to get in-game items for Animal Crossing, but it is required to be there for the card to function. However, the text that appears on these cards is fully editable in a hex editor once you decompile the VPK, letting you write custom letters that appear on the GBA if interested. I have not tested this extensively, but there appears to be a 256 character (in bytes) limit to this text. Going past this amount is not recommended. There is also data within the VPK that controls the graphics, background, and music that play during this letter screen, but changing those is more complicated than it's worth.

The important part of the GBA VPK data comes from the padding that occurs after the initial VPK data, but before the start of the GameCube VPK data. This data controls the "letter item"

data that you receive in the mail when you scan the card in Animal Crossing. For the sake of receiving NES games as a present in the letter, this letter data **must remain the exact same**. In the example below you can see the letter is programmed to be from Tom Nook.

Letter item data from the Mario Bros. Series 4 e-Reader card

The final chunk of data is the GameCube VPK data. Different from the letter item data, this data controls the letter contents (what is actually written in the letter) as well as what item present is attached. Both of these are editable – so you can receive a letter with customized text as well as most items as an attached present. These must remain within the constraints of the game, however, so no going beyond the letter text limit and no attaching items that cannot normally be attached to letters.

GameCube VPK data from the Mario Bros. Series 4 e-Reader card

Technical Process

*For a **tutorial** on how to actually modify Animal Crossing e-Reader card data, see my guide here.*

Obtaining Animal Crossing e-Reader cards in RAW format is quite simple following a few Google searches. However, it is a lot more difficult than simply opening those files and changing item code data. e-Reader cards come in a compressed state, meaning their data is mostly gibberish to the human eye unless we decompile them. Luckily, two people named CaitSith and Tim Schuerewegen took an interest in decompiling the e-Reader from 2004 to 2007. They created various tools that decompile/recompile e-Reader card data that allows them to be read and modified by eye. Their work and programs are published on CaitSith's site which is still live today. I cannot understate the importance of these programs – they laid the foundation of this discovery nearly 20 years later, so huge props to them. Further, custom Python code created by GameFAQs user RollingStar/do_0m was also instrumental in automating the decompiling process. While this code was unfinished, I was able to write further code and patch a few bugs to complete their original intention.

With these programs in hand, I was able to decompile the e-Reader cards from RAW to BIN to VPK and finally down to its bare source file. In these source files you can actually read the data in a hex editor and make modifications, so I was off to the races figuring out where I could make changes.

0000044b	00 01	02 03	04 05	06 07	08 09	0a 0b	0c 0d	0e 0f	
00000000	c3 4d	04 00	20 20	fb 0e	20 20	fb 1e	20 20	fb 16	ÃM.. û. û. û.
00000010	48 61	73 20	54 45	53 54	6e 65	20 65	76 65	72 20	Has TESTne ever
00000020	74 6f	6c 64	79 6f	75 20	74 68	61 74	20 79	6f 75	toldyou that you
00000030	20 63	61 6e	27 74	20 67	65 74	73 6f	6d 65	74 68	can't getsometh
00000040	69 6e	67 20	66 6f	72 20	6e 6f	74 68	69 6e	67 3f	ing for nothing?
00000050	49 74	27 73	20 74	72 75	65 2e	20 4d	6f 73	74 6c	It's true. Mostl
00000060	79 2e	49 66	20 73	6f 6d	65 6f	6e 65	20 67	69 76	y.If someone giv
00000070	65 73	20 79	6f 75	73 6f	6d 65	74 68	69 6e	67 20	es yousomething
00000080	66 6f	72 20	6e 6f	74 68	69 6e	67 2c	79 6f	75 20	for nothing,you
00000090	6d 61	79 20	6e 6f	74 20	74 72	65 61	73 75	72 65	may not treasure
000000a0	77 68	61 74	20 74	68 65	79 20	67 61	76 65	20 79	what they gave y
000000b0	6f 75	2e 54	68 61	74 27	73 20	77 68	79 20	49 20	ou.That's why I
000000c0	6b 69	6e 64	6c 79	72 65	71 75	65 73	74 20	61 20	kindlyrequest a
000000d0	6d 6f	64 65	73 74	20 66	65 65	66 6f	72 20	6d 79	modest feefor my
000000e0	20 73	65 72	76 69	63 65	73 20	61 6e	64 67	6f 6f	services andgoo
000000f0	64 73	2e 20	4e 6f	77 20	79 6f	75 20	6b 6e	6f 77	ds. Now you know
00000100	21 00	14 16	16 12	14 16	14 13	13 14	13 14	00 00	!..............
00000110	00 00	00 00	00 00	00 00	22 1d	27 21	00 00	22 d8	........".'!.."ø
00000120	27 2a	d8 27	7d 91	7c 98	d0 1a	2a 1d	27 77	2a d8	'*ø'}'|˜Ð.*.'w*ø
00000130	27 23	22 d8	27 2a	1d 27	23 22	1d 27	13 18	e2 22	'#"ø'*.'#".'..â"
00000140	1f 27	21 00	00 22	d8 27	2a d8	27 7d	93 7c	9a d0	.'!.."ø'*ø'}"|šÐ
00000150	2a 1f	27 71	2a d8	27 23	22 d8	27 2a	1f 27	23 22	*.'q*ø'#"ø'*.'#"
00000160	1f 27	18 e4	3a e1	27 fe	04 d0	21 e1	27 6e	26 00	.'.ä:á'þ.Ð!á'n&.

Decompiled GBA VPK from Ice Climber Series 4 card with editable text that can be read and modified by hand

As you can see from this decompiled VPK, you can actually read and edit the bytes manually to change their data. In the above example, I inserted a random "TEST" text into the code and was eventually able to replicate the text in the GBA e-Reader.

However, as mentioned, the process is not as simple as just modifying the data and recompiling. The tools used were great at *decompiling* data, but were actually **too** efficient at *recompiling* data. If you recall, the header data in each e-Reader card have "general size" and "VPK size" flags that must be correct in order for the card to not give an error. That means any change in VPK size or card size must be accounted for in the header. Thus, if the recompiler is too efficient at compressing the data and it becomes a different size than the original, the card will not work. This is usually always the case since the tools used always resulted in a recompiled card that was smaller in size than originally

GBA e-Reader letter featuring custom "TEST" text

started with. The e-Reader was developed in collaboration between Nintendo, Creatures, and HAL Laboratories, but it's thought the compression techniques for the peripheral were developed by HAL directly. This is because the `vpk0` compression format present in the e-Reader cards are also present in several HAL N64 games, including Super Smash Bros. We do know that HAL used two encoding algorithms in their `vpk0` compression: LSZZ and Huffman Encoding. However, we do not know the exact settings they used for the e-Reader so I had to find a workaround in order to replicate their compression process.

This meant I needed to modify the header data to accurately flag the VPK size and the general size of the card.

Revisiting this diagram, the VPK size is denoted by the final two bytes of the header data. Note that these are written in little endian, so the VPK size here is 0x05DB in hexadecimal or 1499 bytes in decimal. Thus, when recompiling a new VPK I had to make note of the size and change this value to the proper hexadecimal declaring the new size of the VPK. If this value is off by a single digit, the card will not read. Further, there is also a general size info which also keeps track of VPK size. In green, the hexadecimal 0x020BBA22 is actually 32-bits of information written in binary, with bits 9-23 repeating the VPK size plus an additional 2 bytes for where the size is declared. With this information we can do some bit math to properly rewrite the size info flag to accurately represent newly recompressed data.

```
0x05DB   +   2   =   0x05DD
VPK size     2 bytes     size to use
           for reading  in general flag


0x020BBA22 ➡ 0000 0010 0000 1011 1011 1010 0010 0010
  general size           | |||| |||| |||| |||
                         | |||| |||| |||| |||
0x05DD     ➡            0 0000 1011 1011 101
VPK size + 2            bits 9-23 represent VPK data + 2


0x05B4     ➡            0 0000 1011 0110 100
new VPK size

                              ⬇

            0000 0010 0000 1011 0110 1000 0010 0010  ➡  0x020B6822
                  new 32-bit size data                  new general size
                                                        flag in hex
```

Example of the hex/bit math required to recreate the general size flag in the data header

With this formula, I was able to recreate the general size flag within the header data to accurately represent any newly compressed data I introduced into the code. There is still a problem however, as there is a global check to ensure that the total size of the e-Reader card data is 2112 bytes. Since the compression brings us below this limit, we simply fill the data with `00` or `ff` as blank "padding" data to ensure the card size is correct. On top of this, there are still two checksum flags in the header that need to be corrected. Mathematically, these checksums are the complement of the sum of all halfwords in all data fragments. This can be done manually, but luckily user BlackShark from Project Pokémon created a program to correct these checksums automatically. This was originally created for use with the Pokémon e-Reader cards, but luckily this code can also be repurposed here. Big thanks to BlackShark for also posting about the above math and formulas which made the process easier.

With all of these programs and complications settled, we can now successfully decompile and recompile e-Reader data accurately. So I decompiled one of the Animal Crossing e-Reader cards, rewrote the bytes responsible for generating the item attached to the letter to include the *Super Mario Bros* item code, and recompiled through the process above. From this, I was able to generate a working RAW file that was properly scanned in Dolphin emulator and gave me a working *Super Mario Bros* furniture item in-game. From here, it was time to generate and print a physical dot code based off this RAW file and test on console.

Printing the Dot Codes

To actually print the dot codes physically, you will need access to a modern printer with at least 600x600dpi printing resolution and high quality glossy photo paper. Converting the RAW files into printable dot codes can be challenging, but luckily Tim Schuerewegen developed a tool to easily print them back in 2004 that still works today. You can get the e-Reader dot code printing tool from CaitSith's site here. Most modern inkjet/laser printers are capable of printing accurate dot codes, but this may be trial-and-error depending on the type of printer you have. Following this video tutorial may also prove helpful.

Here are my Canon TR4722 printer settings for reference:

Downloads

You can download the files for the ***Super Mario Bros*** e-Reader card here:

- **.raw**   (for printing dot codes and use on emulator)
- **.bin**   (for modifying)
- **.vpk**   (chunked)

You can download the files for ***The Legend of Zelda*** e-Reader card here:

- **.raw**   (for printing dot codes and use on emulator)
- **.bin**   (for modifying)
- **.vpk**   (chunked)

Acknowledgements

This project could not have been accomplished by myself, and I'd like to thank several people for posting their findings on the internet for me to use as research:

- **CaitSith2** and **Tim Schuerewegen** for developing and compiling the e-Reader dev tools from 2004-2007.

- **RollingStar** (GitHub) / **do_0m** (GameFAQs) for starting the Python project of automating the decompilation/recompilation process.

- **BlackShark** for shedding light on e-Reader header data and creating the program to automatically fix header checksums.

- **Martin Korth** for documenting extracted e-Reader development information and publishing them on his site.

- **tehzz** for shedding light on the vpk0 compression format and its history.

- **Anzomia** for creating the YouTube tutorial on how to print dot codes, sparking my interest in the project.

References

Below are several links I used as research to make this project possible:

- https://www.caitsith2.com/ereader/index.htm
- https://crates.io/crates/vpk0
- https://problemkaputt.de/gbatek-gba-cart-e-reader-data-format.htm
- https://problemkaputt.de/gbatek-gba-cart-e-reader-program-code.htm
- https://projectpokemon.org/home/forums/topic/58692-tutorial-creating-custom-trainerberry-e-cards/
- https://web.archive.org/web/20191102214417/http://users.skynet.be/firefly/gba/e-reader/